

# HOOK & LOOP

SAMPLE CARD — 01 —



[www.mhtape.com](http://www.mhtape.com)



100% Nylon Hook

6130-0110

**Name:** 100% Nylon Hook Class A+++

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** It's made of special nylon materials by intensive weaving. It's durable and has strong adhesion. It's certified by OEKO TEX®.

**Color:** Customized colors are available.

**Application:** Shoes, apparel, hat, household products, medical products, sports products, etc.



100% Nylon Loop

6130-0130

**Name:** 100% Nylon Loop Class A+++

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** It's made of special nylon materials by intensive weaving. It's durable and has strong adhesion. It's certified by OEKO-TEX®.

**Color:** Customized colors are available.

**Application:** shoes, apparel, hat, household products, medical products, sports products, etc.



100% Nylon Hook

6130-0018

**Name:** 100% Nylon Hook Class A

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** It's made of 100% nylon, durable and has strong adhesion. It's certified by OEKO-TEX®.

**Color:** Customized colors are available.

**Application:** Shoes, apparel, hat, household products, medical products, sports products, etc.



100% Nylon Loop

6130-0032

**Name:** 100% Nylon Loop Class A

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** It's made of 100% nylon, durable and has strong adhesion. It's certified by OEKO-TEX®.

**Color:** Customized colors are available.

**Application:** shoes, apparel, hat, household products, medical products, sports products, etc.



Polyester Nylon Hook

6130-3054

**Name:** Polyester Nylon Hook Class B+

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** Polyester and Nylon

**Feature:** It's made of polyester and nylon blended material. The closure side is made of nylon and the outer side is made of polyester. Its adhesion strength is close to 100% nylon hook, but it is cheaper than the nylon hook. It is certified by OEKO-TEX®.

**Color:** Customized colors are available.

**Application:** Shoes, apparel, hat, household products, etc.



Polyester Nylon Loop

6130-3089

**Name:** Polyester Nylon Loop Class B+

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** Polyester and Nylon

**Feature:** It's made of polyester and nylon blended material. The closure side is made of nylon and the outer side is made of polyester. Its adhesion strength is close to 100% nylon hook, but it is cheaper than the nylon hook. It is certified by OEKO-TEX®.

**Color:** Customized colors are available.

**Application:** shoes, apparel, hat, household products, etc.



Polyester Nylon Hook

6130-3058

**Name:** Polyester Nylon Hook Class B

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** Polyester and Nylon

**Feature:** It's made of 100% polyester, economical, with moderate adhesion strength.

**Color:** Customized colors are available.

**Application:** Shoes, apparel, hat, household products, curtain etc.



Polyester Nylon Loop

6130-3092

**Name:** Polyester Nylon Loop Class B

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** Polyester and Nylon

**Feature:** It's made of polyester and nylon blended material. The closure side is made of nylon and the outer side is made of polyester. Its adhesion strength is close to 100% nylon loop tape with lower cost. It is certified by OEKO-TEX®.

**Color:** Customized colors are available.

**Application:** Shoes, apparel, hat, household products, curtain etc.



100% Polyester Hook

6130-6030

**Name:** 100% Polyester Hook Class C

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Polyester

**Feature:** It's made of 100% polyester and has moderate adhesion strength. It is cheap with guaranteed quality.

**Color:** Customized colors are available.

**Application:** Shoes, hat, household products, curtain, toys etc.



100% Polyester Loop

6130-6005

**Name:** 100% Polyester Loop Class C

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Polyester

**Feature:** It's made of 100% polyester, and has moderate adhesion strength. It is cheap with guaranteed quality.

**Color:** Customized colors are available.

**Application:** Shoes, hat, household products, curtain, toys etc.



100% Nylon Fire Retardant Hook

6131-9020

**Name:** Fire Retardant Hook

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** It's treated with flame retardant additives, washable, nonhypergolic, and extinguishes naturally when out of flame source. It's durable and has strong adhesion.

**Application:** Aircraft and ships, automotive seat interiors, home textiles, firefighting equipment and other civil and industrial supplies that require fire protection.



100% Nylon Fire Retardant Loop

6131-9020

**Name:** Fire Retardant Loop

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** It's treated with flame retardant additives, washable, nonhypergolic, and extinguishes naturally when out of flame source. It's durable and has strong adhesion.

**Application:** Aircraft and ships, automotive seat interiors, home textiles, firefighting equipment and other civil and industrial supplies that require fire protection.



100% Nylon Mushroom Hook

6131-9132

**Name:** 100% Nylon Mushroom Hook

**Specification:** 20MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** Mushroom Hook Tape is designed for minimal cycles but provides an extremely high peel & shear strength when used with regular or woven loops.

**Application:** It's designed for applications where opening & closing is rare or where super-strong bond is needed, like curtains, power tools, straps, and other scenes where need high adhesion.



100% Nylon Un-Napped Loop

6131-9106

**Name:** Un-napped Loop

**Specification:** 25MM (Width range: 16MM-100MM)

**Material:** 100% Nylon

**Feature:** It's made of high strength nylon material by intensive weaving, has high closure strength and long service life. It is not easy to nap.

**Application:** Sportswear, down jackets, sports shoes, belts, outdoors and medical products



100% Nylon New Un-Napped Loop

6131-9133

**Name:** New Unnapped Loop

**Specification:** 25MM (Width range: 16MM-100MM)

**Material:** 100% Nylon

**Feature:** It's made of high-strength extra fine nylon material by intensive weaving. It's soft, with strong adhesion and long-lasting. There will be no napping.

**Application:** For applications requiring a higher cycle life and lower peel and shear strength, like children wear, sportswear, sports shoes, outdoors products



Self Gripping Hook & Loop  
(One Sided Hook and Loop)

6131-9093

**Name:** Self Gripping Hook & Loop(One Sided Hook and Loop)

**Specification:** 25MM (Width range: 16MM-100MM)

**Material:** 100% Nylon

**Feature:** This product weaves hooks and loops on the same side through a special weaving method. No more lint and a soft-to-touch tape! Ideal for any application when a self-engaging fastener is required, this product offers a one piece solution. It is highly practical and can be easily sewn on.

**Application:** apparel, shoes, straps, etc.



100% Nylon Soft Hook

6131-9134

**Name:** 100% Nylon Soft Hook

**Specification:** 25MM (Width range: 16MM-100MM)

**Material:** 100% Nylon

**Feature:** The hook is woven with fine nylon monofilaments and compound yarns, so its surface is very soft, compared with the standard hook. It has the characteristics of weakened initial adhesion, better durability and longer service life.

**Application:** It's designed for skin friendly device with easy peel, like blood pressure monitors, belts, and children's clothing, also widely seen in sports braces, yoga and gym mats.



100% Nylon Back to Back Hook and Loop

6131-9007

**Name:** 100% Nylon Back to Back Hook and Loop

**Specification:** 25MM (Width range: 16MM-100MM)

**Material:** 100% Nylon

**Feature:** It's hook on one side and loop on the other side, create an easy-to-use, strong, reusable strap or tie. It's designed for wrapping application, simply cut to desired length and wrap around target item. It can be cut into any sizes and shapes.

**Application:** PC cables, charger wires, headphone wires and industrial cables, mostly used in car industry, household products, straps, garden industry, etc.



100% Nylon Napped Loop

6131-9115

**Name:** 100% Nylon Napped Loop

**Specification:** 25MM (Width range: 16MM-150MM)

**Material:** 100% Nylon

**Feature:** It is made of special nylon materials and woven by napped technique. It is soft and feels good, with moderate adhesion.

**Application:** Sports wear, compound hook and loop, medical products, labels, etc.



100% Nylon Hair Grip Pad

6131-9135

**Name:** Hair Grip Pad/Hair Holding Sticker

**Specification:** 25MM (Width range: 25MM-100MM)

**Material:** 100% Nylon

**Feature:** It 's made of 100% nylon and woven by special technique, breathable and soft, and can provide moderate styling effect, suitable for female hair DIY and curly hair.

**Application:** Magic Hair tool to help with hair styling. Holds all hair types. Works best with dry hair, suitable for both male and female use, salon barber or personal home use.



Elastic Loop

6131-9021

**Name:** Elastic Loop

**Specification:** 25MM (Width range: 20MM-150MM)

**Material:** Nylon, latex yarns

**Features:** The loop is made of high-quality nylon yarns and imported latex raw materials. It has good air permeability and moderate elasticity. The tensile ratio can be adjusted according to the customer's request.

**Application:** Medical equipment, rehabilitation supplies, sports kits, outdoor products, storm jackets, hiking suits, etc.



High-Density Elastic Hook and Loop

6131-9136


**Name:** High-Density Elastic Hook and Loop Tape- Loop Side

**Specification:** 38MM (Width range: 20MM-150MM)

**Material:** Nylon, latex yarns

**Features:** The loop with high density is woven with high-quality nylon yarns and imported latex raw materials. It has high resilience, durable and lintfree, has long-life service.

**Application:** medical equipment, rehabilitation supplies, sports kits, outdoor products, storm jackets, hiking suits, etc.



Non-Elastic Knitted Loop

6131-9137

**Name:** Non-Elastic Knitted Loop

**Specification:** 38MM (Width range: 20MM-200MM)

**Material:** Nylon and Polyester

**Features:** It is made of high-strength PET monofilament. It has high hair, high peeling strength and is not easy to deform. Flame retardant and waterproof treatments can be carried out according to customer requirements.

**Application:** Car seats



Molded Hook for Diapers

6131-9140

**Name:** Molded Hook for Diapers

**Specification:** 20MM (Width range: 20MM-300MM)

**Material:** 100% Nylon

**Features:** It's environmental protection, pollution-free, has smooth edge to avoid scratching skin.

**Application:** Diapers

100% Nylon Molded Hook Type 2

6131-9138

**Name:** Molded Hook Type 2

**Specification:** 20MM (Width range: 20MM-300MM)

**Color:** Black, white, colored

**Material:** 100% Nylon

**Features:** The hook is extruded with high-strength nylon. Suitable for matching with napped cloth and fine soft loop fabric.

**Application:** Mostly used in garments, sphygmomanometers, sports equipment, etc.

100% Nylon Molded Hook Type 3

6131-9046

**Name:** 100% Nylon Molded Hook Type 3

**Specification:** 20MM (Width range: 20MM-300MM)

**Color:** Black, white, colored

**Material:** 100% Nylon

**Features:** The hook is extruded with high-strength nylon, it's suitable for matching with woven, knitted or nonwoven loop fabrics(napped, brushed).

**Application:** Mostly used in gloves, sports wear, sports equipment, etc.

100% Nylon Molded Hook Type 4

6131-9086

**Name:** 100% Nylon Molded Hook Type 4

**Specification:** 20MM (Width range: 20MM-300MM)

**Color:** Black, white, colored

**Material:** 100% Nylon

**Features:** The hook is extruded with high-strength nylon, it's suitable for matching with woven, knitted or nonwoven loop fabrics(napped, brushed).

**Application:** Mostly used in children's shoes, tents, gloves, outdoor products and so on.

100% Nylon Molded Hook Type 10

6131-9152

**Name:** 100% Nylon Molded Hook Type 10

**Specification:** 20MM (Width range: 20MM-300MM)

**Color:** Black, white, colored

**Material:** Nylon

**Features:** The hook is extruded with high-strength nylon. It has large hook, suitable for matching with woven, knitted or nonwoven loop fabrics.

**Application:** Mostly used in outdoor products, industrial products, etc.

100% Nylon Flame Retardant  
Molded Hook Type 4

6131-9151

**Name:** 100% Nylon Flame Retardant Molded Hook Type 4

**Specification:** 20MM (Width range: 20MM-300MM)

**Color:** Black, white, colored

**Material:** 100% Nylon

**Features:** The hook is extruded with high-strength nylon, it has super flame retardance, suitable for matching with woven, knitted or nonwoven loop fabrics(napped, brushed)

**Application:** Fire protection products, interior textiles, automotive textiles, etc.



Selfadhesive Die-cut Hook and Loop

6131-2049B

**Name:** Self-adhesive Die-cut Hook and Loop Dots Class B+ with Transparent Base

**Specification:** 25MM

**Material:** Polyester and Nylon

**Features:** The back of the adhesive tape is coated with a layer of EVA hot melt glue, which provides an easy solution to adhere to most surface, just simply peel and stick.

**Suitable Temperature:** -20°C-70°C

**Application:** Household, daily necessities, anti-mosquito nets.



6131-2049

**Name:** Self-adhesive Die-cut Hook and Loop Dots Class B+ with Paper Base

**Specification:** 25MM

**Material:** Polyester and Nylon

**Features:** The back of the adhesive tape is coated with a layer of EVA hot melt glue, which provides an easy solution to adhere to most surface, just simply peel and stick.

**Suitable Temperature:** -20°C-70°C

**Application:** Household, daily necessities, anti-mosquito nets.



Self-adhesive Hook and Loop

6131-0003

**Name:** Self-adhesive Hook and Loop Tape Class A with Paper Base

**Specification:** 25MM

**Material:** 100% Nylon

**Features:** The back of the adhesive tape is coated with a layer of EVA hot melt glue, which provides an easy solution to adhere to most surface, just simply peel and stick. It's 100% made of nylon, which is durable.

**Suitable Temperature:** -20°C-70°C

**Application:** Stationery supplies, packaging materials, toys, curtains, household items, etc.



Self-adhesive Hook and Loop

6131-1052

**Name:** Selfadhesive Hook and Loop Tape Class B+ with Paper Base


**Specification:** 25MM

**Material:** Polyester and Nylon

**Features:** The back of the adhesive tape is coated with a layer of EVA hot melt glue, which provides an easy solution to adhere to most surface, just simply peel and stick. Both closure sides are made of nylon which are durable.

**Suitable Temperature:** -20°C-70°C

**Application:** Stationery supplies, packaging materials, toys, curtains, household items, etc.



Self-adhesive Hook & Loop Tape

6131-1003

**Name:** Selfadhesive Hook and Loop Tape Class B with Paper Base

**Specification:** 25MM

**Material:** Polyester, Nylon

**Features:** The back of the adhesive tape is coated with a layer of EVA hot melt glue, which provides an easy solution to adhere to most surface, just simply peel and stick. The hook closure side is made of nylon which is durable.

**Suitable Temperature:** -20°C-70°C

**Application:** Stationery supplies, packaging materials, toys, curtains, household items, etc.



High Frequency Welding Hook

6131-9141

**Name:** High Frequency Welding Hook

**Specification:** 25MM (Width range:16MM-150MM)

**Material:** 100% Nylon

**Features:** A special coating is added to the back of the high-frequency adhesive tapes, which can be quickly and strongly bonded to the surface of the target by high-frequency voltage. It has excellent adhesion to PVC materials and has long-lasting water resistance.

**Application:** Raincoats, storm jackets, outdoors, etc.



High Frequency Welding Loop

6131-9142

**Name:** High Frequency Welding Loop

**Specification:** 25MM (Width range:16MM-150MM)

**Material:** 100% Nylon

**Features:** It is coated with a special coating, and the high-frequency voltage can make it fast and effectively bonded to the target surface and can be used without sewing. It has good adhesion to PVC materials and has certain waterproofness.

**Application:** Raincoats, storm jackets, outdoors, etc.



6131-9110

**Name:** Hook & Loop Tie Tape

**Specification:** 12MM\*150MM/12MM\*200MM (Width range: 12MM, 15MM Length: 150MM, 180MM, 200MM, 250MM, 300MM, 330MM)

**Material:** Nylon

**Features:** It's self-adhesive, has high peeling strength and flat tensile strength, and the more you pull, the tighter.

**Application:** storm jackets, outdoor products, etc.

6131-9042

**Name:** Cuff Hook and Loop Fastener

**Specification:** 88\*30MM

**Material:** TPU

**Features:** It is made of TPU material through the special injection molding machine, It is generally used in outdoor clothing cuffs, has long service life and waterproof effect.

**Application:** Storm jacket, raincoat, outdoor clothing.